

Codes in Engineering, by Yu. G. Zarenin,
V. L. Incosov. 260 pp.
RUSSIAN, bk, Kody V Tekhnitsi, 1964, pp 1-251.
FTD-TF-65-1558

Sci/Mechan. Industr. Civil
and Marine Engr.
Oct 66

311,444

The Stability of Chapman-Jouguet Detonations,
by V. V. Pukhnachev, 7 pp.
RUSSIAN, per, Kokl. Akad. Nauk SSSR (Gidromek-
hanika), Vol 149, No 4, Apr 1963, pp 798-801.
P911336267
AEC SC-T-67-0941

Sci-Nuclear Sci
Dec 67

344,353

Preparation of Long-Flame Coal From the
Lisichansk Region by Salt Flotation, by
P. D. Lysenko. UNCL

RUSSIAN, per, Koks i Khim, Vol V, No 5,
1935, pp 40-46.

NCIS A.1552
DSIR LIB M.1430

(loan)

116,560

Sci - Fuels
May 60

Grigor'ev, S. M.
DE WINNING VAN NIEUWE CYCLISCHE VERBINDIN-
GEN UIT STEENKOLENTEER EN RUWE BENZEEN
(The Obtaining of New Cyclic-compound Raw Materials
from Coal Tar and from Crude Benzene) tr. by
G. J. M. Fritschy. 4p. MTWL: 40. (text in Dutch).
Order from OTS or ETC \$1.40 61-17674

Trans. of Koks i Khimiya (USSR) 1937, no. 6, p. 16-19

DESCRIPTORS: *Coal tar, *Benzenes, Polycyclic
compounds, Production.

61-17674

I. Grigor'ev, S. M.
II. MTWL-40
III. Stichting Moellijk
Toegankelijke Wetenschap-
lijke Literatuur

Office of Technical Services

The Influence of Coke-Over Wall Construction
on the Quality and Yield of Byproducts, by I. B.
Peisakhson.

RUSSIAN, per, Koks i Khimiya, Vol IX, No 3,
1939, pp 30-34.

MLL M.4279

Sci - Min/Met

Apr 62

193, 810

MEASUREMENT OF TEMPERATURE WITHIN THE COKE MASS
BY BAUM'S METHOD, BY S. N. SHPITAL'NIK.

RUSSIAN, PER, KOKS I KHIM, NO 9, 1939, PP 27-29.

NLL M. 3876

SCI - CHEM

OCT 62

214,794

Coke Quality and the Working of Blast Furnaces, by
A. S. Brink.

RUSSIAN, per, Koks i Khim, Vol IX, No 10/11,
1939, pp 7-9.

MLL M.4281

Sci - Engr

193, 752

May 62

A New Method of Evaluating the Physico-Mechanical Properties of Coke, by N. S. Gryaznov, T. G. Zyryanova.

RUSSIAN, per, Koks i Khim, Vol IX, No 10/11,
1939, pp 9-13.

MLL M.4280

Sci - Chem

193, 747

May 62

Production and Purification of Fluorene,
Acenaphthene, Diphenylene Oxide and Ortho-
Diphenol From Coal Tar, by S. M. Grigorev,
et al. UNCL

RUSSLAN, per, Koks i Khim, Vol IX, 1939,
No 10, 11, pp 54-57.

DSIN/LLU RPS M.670

(loan)

Sci - Chem
Feb 60

103688

Thermal Conductivity and Diffusivity of Russian
Coking Coals, by A. F. Belotski.

AYA

RUSSIAN, per, Koks i Kemiya, No 3, 1940, pp 24-26.

MCB A.1930

OTS 62-15257

NLU M. 3284

Sci - Chem

168,577

Determination of the Temperature Distribution in the
Dinas Partition-Wall of a Coke-Oven, by M. D.
Tamarin.

~~SCIAN~~, per, Koks i Khim, Vol X, 1940, pp 29-33.

ILL M.3420

Sci - Chem

193, 749

May 62

<p>Mochevinskii, P. F. RECOVERING POLYSTYROL RESIN FROM XYLOL-BEARING FRACTIONS (Poluchenie Polistirol'nikh Smol iz Ksilol'notyazhelyi Fraktsii). 28 July 41, 5p. (1 fig. omitted). Order from OTS or SLA \$1.10 62-10058</p> <p>Trans. of Koks i Khimiya (USSR) 1940, no. 10, p. 46ff.</p> <p>DESCRIPTORS: *Styrenes, *Resins, Recovery, Di-cumarol, *Xylenes, Fractionation, Polymerization.</p> <p>(Chemistry--Organic, TT, v. 7, no. 7)</p>	<p>62-10058 I. Mochevinskii, P. F. Office of Technical Services</p>
--	---

Vapor-Phase Catalytic Oxidation of Coal Tar
Products, by M. V. Gofman, A. I. Golub, 13 pp.

RUSSIAN, per, Koks i Khimiya, No 2, 1956,
pp 51-55.

Sci Mus Lib 56/1784

Sci - Chemistry

40,642

Continuous Purification of Crude Benzole Fractions,
by L. E. Karlinskiy, I. A. Levantovich, 7 pp.

RUSSIAH, per, Koks i Khim, No 5, 1956, pp 40-45.

Sci Mus Lib Tr 57/2819

Sci - Chem
Mar 58

59, 778

Iron Bearing Coke and Its Use in Blast Furnaces,
by D. S. Kashchenko, S. A. Savonov, 12 pp.

RUSSIAN, no per, Koks i Khimika, No 6, Jun 1956,
pp 21-26.

13,000,400
CIA/TDD X-2379

Sci - Min/Metals
Apr 1957 CRS/dex

47,065

Operation of Pitch Coke Ovens Using Continuous Charging, by M. A. Stepanenko, N. I. Matusyak, T. Ya. Gogol'sva, P. L. Salten, B. N. Moroz, F. Z. Klienskiy, 10 pp.

RUSSIAN, no per, Koks i Khimiya, No 6, Jun 1956,
pp 28-32.

CIA/FDO X-2380

Sci - Min/Metals
Apr 1957 CTS/dex

47,067
Sci Min CTS Jun 1956/3791

A Study of the Process of Separating Solids
From Tar When Steam Injection Is Used, by
I. L. Liplevk, T. P. Varshavskiy, N. Kh. Cherkasov,
14 pp.

RUSSIAN; no per, Koks i Khimiya, No 6, Jun 1956,
pp 37-42.

CIA/FDD X-2381

Sci - Chemistry
Apr 1957 CMS/6ax

47,068

Catalytic Desulphurization of Benzene Under Pressure, by N. B. Kondukov, 8 pp.

RUBSHAN, no par, Koks i Khimiya, No 6, Jun
1956, pp 42-45.

CIA/PDD X-2382

Sci - Chemistry
Apr 1957 CTS/dex

47, 070

Making Technical Naphthalene by Fractionating
Naphthalene Fraction, by M. M. Potashnikov,
8 pp.

RUSSIAN, no per, Koks i Khimiya, no 6, Jun 1956,
pp 46-49.

CIA/FDD X-2383

Sci - Chemistry
Apr 1957 CTS/dex

47,069
Sov. Mus. 2.656/3736

Kopelevich, G. V.
ACCROISSEMENT DU RENDEMENT EN NAPHTALINE
LORS DE LA CRISTALLISATION DES HUILES À
NAPHTALINE (Increasing the Yield of Naphthalene by
Crystallization of the Naphthalene Fraction). 5p.
Cerchar trad. no. 852-56. MTWL: 1019.
(Text in French).
Order from OTS or ETC \$1.40

61-17485

Trans. of Koks i Khimiya (USSR) 1956, no. 6,
p. 49-50.

DESCRIPTORS: *Naphthalenes, Crystallization,
Production, Processing.

61-17485

I. Kopelevich, G. V.
II. Cerchar trad. no. 852-56
III. MTWL-1019
IV. Stichting Moellijk
Toegankelijke Wetenschappelijke Literatuur

Office of Technical Services

The Preparation of Pitch for the Production of
Pitch Coke, by M. A. Stapanenko, N. Y. Matusynk.

RUSSIAN, per, Koks i Khimiya, Vol IV, 1956,
pp 55-58.

CCT-1732B

Sci - Chem
Dec 59

103004

Speranskaya, G. V. and Skvortchov, Yu. M.
APPLICATION OF A NEW METHOD OF CARBONIZATION
FOR THE PRODUCTION OF METALLURGICAL FUEL
FROM WEAKING AGGLOMERATING COALS OF THE CHEREMICKOV SEAM. 8 July 59.
7p. 9 refs.

Order from OTS or SLA \$1.10

61-20921

Trans. of Koks i Khimiya (USSR) 1956, no. 7, p. 3-6.

DESCRIPTORS: *Coal, Carbonization, *Coke, Production, Metallurgy, *Fuels, Mechanical properties.

(Materials--Fuels, IT, v. 7, no. 9)

61-20921

I. Speranskaya, G. V.
II. Skvortchov, Yu. M.

Office of Technical Services

Causes of Formation of Spongy Coke and Methods of
Combating It, by S. D. Levin.

RUSBLIN, etc., Koks i Khim. No 8, 1956, pp 28-32.

Co-op Tr Sch Th 417

Sci - Chemistry
Mar 58

59, 353

Use Of Radioactive Isotopes In the Investigation
Of the Movement Of gases In Coke Ovens by I. M.
Khanin and others.

RUSSIAN, per, Koks I Khimya, No 1, 1957, pp 20-25.

CSIRO

Oct. 62

Determination of the Resistance of Coals
to Oxidation, by V. V. Bogoyavlenskiy,
V. G. Petrenko.

RUSSIAN, per, Koks i Khimika, Feb 1957,
pp X 3-7.

Broken Hill Proprietary
Co Ltd
CRL/T.742

171,321

Sci - Chem
Oct 61

171,321

Chemical Composition of Coal Pitch, by A. M.
Gafistakov, ~~UNCLASSIFIED~~

RUSSIAN, no per, Koks i Khimiya, No 2, 1957.
pp 37-41.

Co-op fir Scheme
Tr 446

Sci - Chem
Apr 58

62,276

The Determination of Chloride and Thio-cyanate in Coal Tar, by S. G. Faingol'd,
A. S. Popova.

RUSSIAN, per, Koks i Khim, 1957, pp
47, 48.

Consultants Customs Tr
CCT-523B
\$10.50

Sci - Chem

Mar 59

83-4447

Behaviour of Coke at High Temperatures,
by A. S. Brak, R. E. Leyborich. UNCL

RUSSIAN, PER, Kols i Khim, No 3, 1957,
pp 24-29.

ME 4810

118,747

Sci - Fuels
Jun 60

Ensuring Constant Quality in Metallurgical Coke as
 Regards Mechanical Strength, by M. I. Turchanov.

RUSSIAN, per, Koks i Khim, No 4, 1957, pp 18-22.

Co-op Tr Sch Tr 440

Sci - Min/met
Mar 58

60,172

A Comparison of the Different Methods of Producing
Technical Naphthalene, by B. M. Patz, 8 pp.
UNCLASSIFIED

RUSSIAN, per, Koks i Khim, No 5, 1957, pp 39-41.

Sci Mus Lib Tr 58/0088

Sci - Chem
Sep 58

73,361

Operation of the Grid of a Hammer Mill, by S. V.
Korolev. U.S.S.R.

RUSIAN, per, Koks i Khiz, No 5, 1957,
pp 51-55.

B/51 1550
DSIN LIN RIB 1020
O'D 62-11-17
(226. 6d.)

Scd - Engt
Jan 59

88,483

The Economics of the Soda-Vacuum and the Soda-Arsenate Methods of Cleaning Hydrogen Sulphide From Coke Oven Gas, by F. Ya. Bevzin. UNCL

RUSSIAN, per, Koks i Khim. No 6, 1957, pp 48-51.

DSIR LIB RTS 1059

Sci - Chem
Jul 59

90,684

Thermographic Investigations of Coals and Coal
Mixtures, by Kh. A. Iskhakov, 6 p.

RUSSIAN, per, Koks i Khimiya, 1957, No 7, pp 6-8.

SLA 59-18382

Sci
Mar 60
Vol 2, No 11

109573

Terminology for the Petrographic Components of
Coals for Technical Purposes, by S. S. Dvorin.

RUSSSIAN, per, Koks i Khim, No 7, 1957, pp 9-
12.

Dept of Int
US Bur of Mines
Central Exper Sta
Pittsburgh, Pa. No 353

Sci - Fuels, Chem

May 59

87,709

Stepanenko, M. A., Matusiak, N. L. and others.
ACCELERATION OF THE PROCESS OF PREPARA-
TION OF HIGH-MELTING PITCH. [1961] 4p.
Order from OTS or SLA \$1.10 61-20920

Trans. of Koks i Khim[iya] (USSR) 1957, no. 7,
p. 43-46.

DESCRIPTORS: Melting, *Pitch, Oxygen.

(Engineering--Chemical, TT, v. 7, no. 7)

I. Stepanenko, M. A.
II. Matusiak, N. L.

Office of Technical Services

(DC-1035)

The Coke-Chemical Industry of the Polish People's
Republic (Poland), by A. V. Shpilevich, 13 pp.
UNCLASSIFIED

RUSSIAN, no per, Kokz i Khim, No 7, Moscow, Jul
1957, pp 58-63.

US JPRS/DC-L-178

EE - Poland
Econ - Steel and Chemical Industries
May 58

62,502

the Emulsification and Split Feeding of Reagents Used in the Industrial Flotation of Coal, by V. I. Melik-Oeykazyan, A. A. Baychenko, et al, 6 pp.

RUSSIAN, per, Koks i Khim, No 8, 1957,
pp 14-17.

AT&T-77M38A
R

182, 792

Sci
Feb 62
vol III, no 11

The Coking of Coals as a Colloid-Chemical
Process, by V. F. Kustov. UNCL

RUSSIAN, per, Koks i Khim, No 8, 1957,
pp 18-20.

NCB A.1420

Sci - Fuels; Chem
Jan 60

105,777

Thermographic Investigations of Coal and
Coal Mixtures, by Kh. A. Ishakov.

RUSSIAN, per, Koks i Khim, No 10, 1957,
pp 6-8.

Dept of Int
US Bur of Mines
Central Exper Sta
Pittsburgh, Pa., No 345

Sci - Fuels
May 59

87,722

Use of Radioactive Isotopes in the Investigation
of the Movement of Genes in Coke Ovens, by
A. H. Daniels et al. ~~CONFIDENTIAL~~

MOSCOW, por, Koks i Khim, No 10, 1957 pp 20-25.

Co-op Tr Scheme 469
(L 2.)

Jan 59

SCI —

77, 843

Some Problem Connected With Coking of Coal
Pitch, by Y. L. Tichomirov.

RUSSIAN, per, Koks and Khimiya, No 10,
1957, pp 25-30.

INSDOC/Ref: T. 4918

Sci-Fuels & Propulsion
Mar 63

225, 261

Improvement of the Fractionation of Coal Tar in
Continuous Pipe Stills, by I. M. Eosalevich,
Ya. A. Bron, A. S. & Ocheret, 6 pp. UNCLASSIFIED
RUSSIAN, per, Koks i Khim, No 10, 1957, pp 36-38.

Sci Mus Lib Tr 58/0334

Sci - Chem
Sep 58

73, 360

Stepanenko, M. A. and Matusiak, N. I.
COAL-TAR PITCH WITH SOFTENING TEMPERATURE 250° OR ABOVE. [1961] 5p.
Order from OTS or SLA \$1.10

61-20922

Trans. of Koks i Khim[iya] (USSR) 1957, no. 10,
p. 38-41.

DESCRIPTORS: *Coal tar, *Pitch, Temperature,
Melting, Oxidation, Cooling, Viscosity, Distilling
plants.

Investigations conducted under laboratory conditions
have demonstrated the possibility of preparation, by
the method of oxidative polymerization, of condensates
of pitches with a wide range of softening temperatures,
up to high-melting products giving 18-20% yield of
volatiles. In this case two production schemes are
possible: (1) preparation of pitch with softening
(Engineering--Chemical, TT, v. 7, no. 7) (over)

61-20922

I. Stepanenko, M. A.
II. Matusiak, N. I.

Office of Technical Services

The Development of the USSR Coke-Chemical Industry After
Forth Years, by A. K. Shelkov, 19 pp. UNCLASSIFIED

RUSSIAN, no per, Koks i Khim, No 11, Moscow, Nov 1957,
pp 3-10.

US JPRS/DC-L-247

USSR
ECON - Ferrous Metallurgy
May 58

64,204

The Coking Coal Base of the South, by A. M.
Miroshnichenko, V. I. Shtromberg, 11 pp. UNCLASSIFIED

RUSSIAN, no per, Koks i Khim, No 11, Moscow, Nov
1957, pp 10-14.

US JPRS/DC-L-248

USSR
Econ - Ferrous Metallurgy
May 58

64,248

Coking Coal Material Base for the East and North, by
S. I. Panchenko, 8 pp. UNCLASSIFIED

RUSSIAN, no per, Koks i Khim, No 11, Moscow, Nov 1957,
pp 15-18.

US JPRS/DC-L-249

USSR
Econ - Ferrous Metallurgy
May 58

64, 802

Dielectric Heating. High-Frequency Sintering
of Coal Particles, by Yu. D. Tyutynnikov,
VNIIL.

RUSSIAN, ppr, Koks i Khim, No 12, 1927,
pp 22-26.

DSIR LIU N.789

(loan)

Sci - Ficals

AS SAN-1149
108,380

Web 60

The Effect of Temperature on the Dewatering of
Coal Tar, by M. M. Potashnikov, E. P. Boliter,
3 pp.

RUSSIAN, per, Koks i Khimiya, No 12, 1957, pp 41 -
42.

Sci Mus Lib 58/1197

Sci Chem/Fuels
Mar 59

82, 259

The Effect of Pitch Coking Temperature on the
Yield of Pitch Coke, by G. P. Gorovoy, 5 pp.
UNCLASSIFIED

RUSSIAN, per, Koks i Khim, No 12, 1957, pp 30, 31.

Sci Mus Lib 58/0616

Sci - Fuchs
Oct 58

75-498

On the Phase Equilibrium of Vapour-Liquid in the
System Phenol-Phenolate-Alkali-Water, by P. N.
Gorelov, R. I. Khaydokova.

RUSSIAN, per, Kok. L. Khim., No 12, 1957, pp 40-41.

possibly
DSIR/TCL 108
Sci Mus Lib
58/118/

Sci - Chem
Mar 59

82, 253

Influence of the Degree of Crushing of Coals in
Coking, by S. G. Aronov, L. P. Svetlorusova, 15 pp.

RUSSIAN, per, Koks i Khimiya, 1958, No 1, pp 6-11.

FDD/X-3244

77,835

Sci = Min/Met
Dec 58

Rational System of Froth Destruction in Froth
Flotation Plant at Coal Washeries, by V. I.
Malin-Sukasyan. Ural

RUSSIAN, por, Nosko 2 Khim, No 1, 1958, pp 12-15.

DSIR LLU RPP 1012

(10c. Ed.)
possibly #DSIR/SC 109

USER
Econ
Jun 59

75 484

Thermal Analysis of Solutions of Naphthalene in
Coal Tar Oils, by B. M. Patz, 4 pp. UNCL

RUSSIAN, per, Koks i Khim, No 2, 1958, pp 50, 51.

Sci Mus Lib 58/1902

Sci - Chem
Mar 59

83,294

A New Method of Determining Indices of Coking
and Rank of Coals, by P. K. Finkelshtein, V. A.
Prudenko.

RUSSIAN, per, Koks i Khimiya, No 3, 1958,
pp 6-12.

DSIR LIU M.1755
(loan)

Sci - Fuels

128,879

Oct 60

friction of Coal in the Presence of Large
Quantities of Argillaceous Slurry, by
V. I. Klassen, V. A. Nevezkaya.

RUSSIAN, per, Koks i Khim, No 3, 1958,
pp 15-18.

NLL M.4042

Sci - Min/Met
Mar 62

183, 704

Process of Formation of Coke and the
Forecasting of Its Quality, by E. Taitz. UNCL

RUSSIAN, per, Koks i Khim, No 3, 1958,
pp 19-25.

DSIR LIU M.1428

(loan)

OTS 60-17243
116,568

Sci - Fuels
May 60

Theoretical and Experimental Bases for Using
Radiosotopes to Study the Process of Thermal
Decomposition and Sintering of Coals, by K. P.
Medvedyev, V. M. Petropol'skaya, 7 pp.

RUSSIAN, per, Koks i Khim, No 3, 1959. pp 25-29.

DLR 60-13615

Sci

(S. G. T. 12/2)

129,418

OTS, Vol IV, No 3

Sep 60

Use of Radioactive Level Gauges and Densimeters
for the Inspection and Regulation of the Output of
Flotation Machines, by A. Z. Malishenko, 8 pp.

RUSSIAN, per, Koks i Khim, No 4, 1958, pp 10-14.

Sci - Engineering
Feb 59

~~RECORDED~~
Primary Sources
11 Bleeker ST
N.Y SMT-13101
81,560

5-00

Coking of a Cola Charge in a Loose Thin Layer,
by G. N. Makarov,

RUSSIAN, per, Koks i Khim, No 4, 1958, pp 16-23.

Dept of Interior
TM7 E57 No 349

Sci - ~~Rese~~ Fuels
21 Feb 61

140,930

Method of Automatic Determination and Regulation of the Moisture of the Coal Charge, by A. I. Zolotukhin, I. N. Larvoaky, K. Ya. Pilyashin, 8 pp.

RUSSIA, per, Koks i Khim, No 6, 1958, pp 6-10.

-08/20-332286

Sci - Engineering
Feb 59

Primary Sources
11 Bleeker ST
N.Y. Aug - 13/09
81, 611

5.00

Methods of Lowering the Ash Content of Pitch Coke, by
V. V. Peller, A. T. Movchan.

RUSSIAN, per, Koks i Khim, No 6, 1958, pp 17-21.

Dept of Interior
TN7, E57, No 328
SLA 6-1950

Sci - Fuels
Oct 60

128,656

Calculation of the Thermal Regime for Dry Quenching
of Coke, by N. M. Karavayev, et al. UNCL

RUSSIAN, per, Koks i Khim, No 6, 1958, pp 22-27.

X
DSIR/TCL 114

Sci - Fuels
Mar 59

Influences of Porosity of Coke on Its Moisture Content, by A. T. Vasil'ev. UFGZ.

RUSSIAN, per, Koke i Khim, No 6, 1958, p 54.

DSIR LIB Ref 1003
(29.6d.)

(possibly #DSIR/TCL 114)

Sci .. Chem
Jun 59

88,485

Achieving Uniform Moisture Content in Coke, by
L. M. Kolpachkin UNCL

MUSHLIM, por, Koks i Khim, No 6, 1958,
pp 55, 56.

DSIR LRU PTS 1007
5c. Od.

(DSIR/TCL 114 possibly)

Sci - Chem
Jun 59

88, 486

Assessment of the Plasticity of Hard Coals on
Heating, by E. M. Taitz, UACL

RUSSIAN, per, Koks i Khim, No 7, 1958,
pp 11-14.

DSIR LIU RTB 1396

(10s. 0d.)

Sci - Fuels

Mar 60

11,083

Amperometric Determination of
Total Sulphur Content in Coals, by A. V.
Gordiyevskiy, E. Z. Radnayeva. UKC

RUSSIAN, per, Koks i Khim, No 7, 1958,
pp 14, 15.

DSIR LLN M.1279

(loan)

AC 60-13249
SLH

116,564

Sci - Fuels
May 60

Standardisation of Heating Practice and Control
in a Coke Oven Battery, by G. V. Moayakov. UNCL

RUSSIAN, per, Koks i Khim, No 7, 1958,
pp 28-29.

NLL 21-47257
British Iron and Steel Ind 1363
(L4)

Sci - Fuels
Oct 59

98, 563

NY-1880

Speed the Tempo of Construction of Objects in the
Coke-Chemical Industry, 9 pp.

RUSSIAN, per, Koks i Khimiya, No 8, Moscow, Aug
1958, pp 3-6.

US JPRS/NY -L-400

USSR
Sci - Chemical

77, 242

Nov 58

An Instrument for Determining Dust Concentration
in Coke Oven Gas, by T. P. Varshavsky, et al.
UECL

RUSSIAN, per, Koks i Klin, No 8, 1958,
pp 18-20.

DSIR LLU M.655
PS SMT 14125
(loan)

Sci - Engr
Feb 60

108381

The Use of Naphthalene and Its Homologues in the
Production of Phthalic Anhydride, by D. A.
Gurevich. UNCL

RUSSIAN, per, Koks i Khim, No 8, 1958, pp 34-38.

DSIR LIU RTS 1104

12s. 6d.

95, 821

Sci - Chem
Sep 59

Fundamental Factors in the Processing of
Baphthalene Oils, by V. M. Tsvetin. UNCL

RUSSIAN, par, Koks i Khim, No 8, 1958,
pp 40-44.

DSIR LRU 4.865

(loan)

Sci - Fuels
Feb 60

108379

200 NY-1880

Construction of Large Coke-Chemical Plants, by
B. A. Raskin, 9 pp.

RUSSIAN, per, Koks i Khimiya, No 8, Moscow,
Aug 1958, pp 45-48.

US JPRS/NY-L-401

USSR
Sci - Chem
Dec 58

69,905

NY-1880

Corrosion of Steel in Apparatus of Coke-chemical
Plants, by Ye. V. Zotova, 9 pp.

RUSSIAN, per, Koks i Khimiya, No 8, Moscow,
Aug 1958, pp 49-51.

US JPRS/NY-L-402

USSR
Sci - Chemical
Nov 58

77,243

Verkin, L. I.
REPORT ON STANDARDISATION OF METHODS OF
TESTING COKE QUALITY [Soobshcheniye po
Standartizatsii Metodov Isspytanija Kachestva Koksa] tr.
by S. Dobrjanskyj. Apr 60 [6]p. Trans. no. CRL/T-317
[DSIR LLU] M 1840.

Order from OTS or SLA \$1.10

61-13164

Trans. of Koksi i Khimiya (USSR) 1958, no. 8, p. 58-60.
Another translation is available from BISI J3 108 88
BISI-1599 (1960).

DESCRIPTORS: *Coke, Test methods, Mechanical
properties, Physical properties.

Summaries are presented of the considerations and the
decisions of the Second Conference of the Working
Group 8 for "physical methods of testing coke" which
was held in April 1957 in Essen, Germany. The prob-
lems considered were: the determination of the specific
physico-mechanical coke properties, screen analysis,
(Materials--Fuels, TT, v. 6, no. 1) (over)

61-13164

I. Verkin, L. I.
II. CRL/T-317
III. DSIR LLU M.1840
IV. Central Research Labs.,
Broken Hill Proprietary
Co., Ltd. (Australia)

161662

Office of Technical Services

New Method for Intensifying the Flotation Process, by Koryakov-Savoiskiy.

RUSSIAN, 1958, Kokh I Khimiya, No 9, 1958,
pp 13-17.

Sci-Fuels

May 60

Soviet Metal Tech
Vol I, No 4
1958, P 129

PC 5MT 101-915, 948

The Quality of Benzole Wash OIL, by
V. G. Shavlyagin. USCL

RUSSIAN, per, Koks i Khim, No 9, 1953,
pp 32-36.

DSIR LUW N.866

(1can)

Sci - EXXN Fuels

Feb 50

108,378

Information on the Physicochemical Properties
of Pitch Distillates, by A. N. Chistyakov,
I. Ya. Boyev. UNCL

RUSSIAN, per, Koks i Khim, No 9, 1958,
pp 39-42.

DSIR LLU M.863

(loan)

108,382

Sci - Chem
Fuels
Feb 60

Method of Calculating the Cost of Production
of the Chemical by Products of Coke, by
I. F. Losanov.

RUSSLN, per, Koks i Khimiya, No 9,
1958, pp 47-51.

CSIRO 4258

USSR
Econ
Apr 62

190,365

Results of the Work of the Ukrainian Coal
Chemical Research Institute in 1957,
by V. Zashkvara.

RUSSIAN, par, Koks i Khim, № 9,
1958, pp 56-58.

CSIRO 4259

USSR
Econ
Apr 62

190,372

Carbonization of Bituminous-Coal Pitch in a
Fluidized Bed of Coke, by N. M. Karavayev, et al.

UNCL

RUSSIAN, per, Koks i Khim, No 10, 1958, pp 29-33.

DSIR LIB RMS 1105

12s. 6d.

95,822

Sci - Fuels
Sep 59

R-2498

(DC-2912).

The Coke-Chemical Industry of the Chinese
People's Republic, by A. N. Gorodilov, 12 pp.

RUSSIAN, per, Koks i Khimiya, No 10, 1958,
pp 60-63.

JPRS-809-D

FE - China
~~ENR~~ Econ- Technological - Coke-Chemical Industry
Jul 59

92, 857

Investigation of Thermograms of Young Hard Coals
by Wang Chao-sung, A.N. Makarov
RUSSIAN, Ser., Koks i Khim, No 11, 1958, pp 18-23

SCB A.1847
R.1810

Sci

NLL M.3281

Aug 61

SHT L-15246

List No 41

163528

Improving the Durability of Coke Furnace Roofs, by
O. N. Dargulis, Ye. A. Vin'yar, D. Ya. Sakovskiy,
UML

RUSSIAN, per, Koks i Khim, No 11, 1958, pp 26-29.

DSIR LU (loan) M.497

Sci - Engr
Sep 59

PC SMT-2183

95, 873

Conversion of Higher Homologues of Phenol to
Lower ones, by N. N. Vorozhtsov, et al. UMKL

RUSSIAN, per, Koks i Khim, No 11, 1958,
pp 42-47.

DSIR LUW M.867

(loan)

Sci - Fuels
May 60

116,570

Methods of Improving the Distillation of Tar,
by I. P. Isayenko, et al. Ural

RUSSIAN, per, Moks i Khim, No 11, 1958,
pp 47-51.

SLA 60-13674
DSIR LLU M.868

(loan)

116,565

Sci - Fuel
May 60

Thermomagnetic Method of Concentrating and
Desulfurizing Coal, by A. Z. Yurovsky, I. D.
Benesnikov. UNCL

RUSSIAN, per, Kemi i Khim, No 12, 1958, pp 8-13.

DSIR LRU (loan) M-498 PS LMT-2189
075

Sci - Fuels
Sep 59

75, 876

Kaminskii, V. S. and Sokolova, M. S. THE USE OF SURFACE-ACTIVE SUBSTANCES FOR INTENSIFYING THE DEWATERING OF A FLotation CONCENTRATE. [1961] [9p]. 4 refs. [NCB] Trans. A. 1788/SEH; [DSIR LLU] M.3135. Order from OTS or SLA \$1.10	61-27530	1 . Kaminskii, V. S. II . Sokolova, M. S. III . NCB-A1788/SEH IV . DSIR LLU M.3135 V . National Coal Board (Gt. Brit.)	185588
Trans. of <u>Koks i Khimiya</u> (USSR) 1958, no. 12, p. 13-18.			
DESCRIPTORS: *Coal, Moisture content, *Flotation, Particles, Reagents, Surface tension, *Wetting agents, Industrial research.			
(Engineering--Chemical, TT, v. 6, no. 9)		Office of Technical Services	

The Sizing of Coke on Sieves With Square and
Round Holes, by A. S. Tsynovnikov.

RUSSIAN, per, Koks i Khim, Vol XVIII, No 12, 1958,
pp 25-28.

SLA 60-19848
Dept of Interior
TN7, E57, No 333

Relationship Between the Coking Period and the
Width of the Furnace Chamber, by D. M. Lisin. UNCL

RUSSIAN, per, Koks i Khim, No 12, 1958, pp 18-21.

DSIR LIB (loan) M.499

PS SMT-2109

Sci - Fuel
Sep 59

95, 872

A New Method of Producing Pure Anthracene and
Carbazole, by I. P. Isayenko, T. M. Marincheva.
uncl

RUSSIAN, per, Koks i Khim, No 12, 1958, pp 35-41.

DSIR LII 11.871

(loan)

61-20850

Sci -xtrans Fuchs
May 60

116,566

Improved Treatment of Coal Tar Phenols, by
G. D. Kharlampovich, A. K. Ognieva. Ural.

RUSSIAN, per, Koks i Khim, No 12, 1958,
pp 41-45.

SLA 60-13677
DSIR LNU M.872

(loan)

112,699

Sci - Fund

Apr 60

New Method of Vulcanising the Joints
of Conveyor ~~Rubber~~ Belts, by K. J.
Aleksandrov.

RUSSIAN, per, Koks i Khimika,
No 12, 1958, pp 40-49.

CSIRO

Sci - Engr
Jul 62

204, 900

(DC-4617)

First Meeting of Workers of the Czechoslovakian
Fuel Industry, by V. G. Zashkvara, N. S.
Gryaznov, P. A. Shchukin, 7 pp.

RUSSIAN, per, Koks i Khimiya, No 12, 1958,
pp 50-52.

JPRS 6363

EEur - Czechoslovakia
Econ
Jan 61

136,098

Aronov, A. G. and Svetlorusova, L. P.
INFLUENCE OF THE DEGREE OF CRUSHING OF
COAL ON THE COKING PROCESS, tr. by S. Dobri-
ansky, [1961] (15) p. 9 refs. Trans. no. CRL/T. 480;
[DSIR LLU] M. 2837.
Order from OTS or SLA \$1.60 61-23256
Trans. of Koks i Khimika (USSR) 1959, no. 1, p. 5-11.

DESCRIPTORS: *Coal, Processing, *Coke, Production.

Interaction between grains of different coals in a blend
during the coking process should be regarded as a topo-
chemical process and therefore the presence of chem-
ical combinations can be assumed between the products
of coal decomposition, even in the case when the grains
of coal preserved their form. The depth of penetration
of the plastic mass of coals into a medium consisting
of grains or products resulting from the decomposition
(Engineering--Chemical, TT, v. 6, no. 9) (over)
(Engineering--Chemical, TT, v. 6, no. 9) (over)

61-23256

- I. Aronov, A. G.
- II. Svetlorusova, L. P.
- III. CRL/T-480
- IV. DSIR LLU M. 2837
- V. Central Research Labs.,
Broken Hill Proprietary
Co., Ltd. (Australia)

185527

Office of Technical Services

The Conversion of Ammonium Sulfite-Bisulfite
Solutions to Ammonium Sulfate and Elemental
Sulfur, by B. A. Chertkov, 6 pp.
RUSSIAN, per, Koks i Khimiya, No 1, 1959, pp 48-
53.

*CFSTI TT 69-55059

Sci-Chem
Feb 69